

See NEW Premium Stainless Steel Micro Mesh Gutter Screen Pg 17

RAINWARE, TRIM COIL & SIDING ACCESSORIES
Apollo Beach Plant

www.acm-metals.com








Table of Contents

Gutter Coil Conversion Chart 2	Half Round Products	15-16
Gutters 3	Half Round Outlets	
Gutter Coil3	Half Round Miters	
Spin Down Gutter Coil3	Half Round Slip Joints	
Downspouts 4	Half Round End Caps	
Elbows5	Half Round Brackets	
	Half Round Hidden Hangers	
Variable Degree Elbows6	Half Round T-Wedge Hangers	
Offsets 7	Gutter Protection	
Downspout Accessories 8	Gutter Protection Screen Systems	
Outlets8	Gutter Protection Perforated	18
PVC Adapters8	& Cover Systems	
Y Adapters8	Gutter Protection	
Downspout Bands8	Trim Coil	
Downspout Clips8	Norandex™ - Smooth, PVC, Wood Grain	
Downspout Hinges8	Pella® - Smooth, PVC, Wood Grain	
Splash Blocks8	Mastic Comparable - Smooth, PVC, Woo	
Miters9	James Hardie Comparable - Smooth, PVC,	
Box Miters9	Certainteed Comparable	
Bay Miters9	Exterior Portfolio Comp Smooth, PVC, V	
Strip Miters9	Royal Comparable - Smooth, PVC, Wood	
Extreme™ Miters9	Variform Comparable - Smooth, PVC, W	
Joints & End Caps 10	Textured, Mar-Resistant Window Trim C	
Expansion Joints	Specialty Coils	
Slip Joints	Allura™ ColorMax® Comp Smooth, PVC,	
End Caps10	Fascia	
Hangers11-12	4" Fascia	
Hidden 11	6" Fascia	
Wrap Around11	8" Fascia	
T-Bar	Soffit	
Hangers with Screws12	12" Premium Hidden Vent Soffit	
Rainware Accessories	12" Double 6 D6 Soffit	
T-Wedges & Gutter Wedges	12" U-Style Soffit	
Spikes	12" V-Style Soffit	
Ferrules	16" V-Style Soffit	
Round/Half Round Products13-14	Siding Accessories	
Half Round Gutters	F-Channel	
Round Downspouts	J-Channel	
Round Elbows	Starter Strip	
Half Round Offsets	Z Flashing	
Hair Nouria Offices	Drip Cap	
	Norandex™ Aluminum Warranty	28
PROUDLY FINISHED WITH	Norandex™ Steel Warranty	29
SHERWIN-WILLIAMS.	Norandex™ Trim Coil Color Swatches	
Coil Coatings	2011 2010 2114101100 111	

To place orders for metal products, please call:

Apollo Beach Plant Customer Service: Ph 800-749-4067 ● Fax 608-364-0598 www.acm-metals.com

Gutter Coil Conversion Factors

(Determining Feet to Weight)

Coil Width	Nominal Thickness	Conversion	Multiplier Formula
11-3/4" 11-7/8" 14" 15"		lin. ft X lin. ft X	(.377 = # lbs. (.380 = # lbs. (.453 = # lbs. (.476 = # lbs.
11-3/4" 11-7/8" 13" 15" 18"	.032" Alum. .032" Alum. .032" Alum.	lin. ft X lin. ft X lin. ft X	(.446 =
11-7/8" 12" 13" 14" 15" 19"	26 ga. Steel 26 ga. Steel 26 ga. Steel 26 ga. Steel 26 ga. Steel 26 ga. Steel	lin. ft X lin. ft X lin. ft X lin. ft X	(.768 =
11-7/8" 15"	5		(.72 = # lbs. (.90 = # lbs.
11-7/8" 15"	16 oz. Copper 16 oz. Copper		(.99 = # lbs. (1.25 = # lbs.

For internal use only; this information is not intended for distribution and may not be relied on by any non-ABC or non-ACM party.

To process an order for a spin down quantity, determine the number of pounds based on the requested footage by the contractor. Enter the number of pounds on the ticket noting the required footage. After spinning down the required coil footage, re-weigh the coil to verify the actual pounds of coil taken out of inventory. Note the actual weight in shipped column of the ticket. Update the tickets to adjust the invoice accordingly. This process ensures proper invoicing and accurate inventory levels.

These coils are cut from master coils which are slightly thicker in the middle to avoid oil canning during the painting process. The gauge can vary slightly depending on where the coil was cut from the master coil. Inventory will vary if the product is sold by footage and not weight. Remember, product is purchased by the pound. Re-weighing is necessary for accuracy.

A NOTE ABOUT COLOR SELECTION

NORANDEX™ provides color chip cards which show a close representation of the color. The purpose of color chip cards is to narrow down the homeowner choice of colors. Depending upon the substrate, the final selection should always be based on either an aluminum or steel color tile fan deck, viewed in full sunlight.

Metallic colors, such as Copper Penny (CP), Bronze (BZ), Rustic Copper (M2), and Weathered Bronze (WB), have mica (refractive) or aluminum (reflective) flakes added to the paint finish. The color of different products may be the same (as measured on a colorimeter), but the visual appearance may look slightly different when viewed from different angles and varying amount of sunlight. This is a normal occurring phenomenon and is due the chance positioning of the mica and aluminum flakes when added to the paint finish.



Gutter Coil	Part #	Description	Colors	Nominal Thickness	Rolls/ Pallet
utter Coll	AGC21134	Aluminum 11-3/4" Coil	(Listed Below)	0.027	3
	AGC21134M2	Aluminum 11-3/4" Coil	M2 (Premium Color)	0.027	3
	AGC21178	Aluminum 11-7/8" Coil	(Listed Below)	0.027	3
	AGC21178M2	Aluminum 11-7/8" Coil	M2 (Premium Color)	0.027	3
_	AGC215	Aluminum 15" Coil	(Listed Below)	0.027	2
	AGC215M2	Aluminum 15" Coil	M2 (Premium Color)	0.027	2
	AGC31134	Aluminum 11-3/4" Coil	BK, WH, 80	0.032	3
	AGC31178	Aluminum 11-7/8" Coil	(Listed Below)	0.032	3
	AGC315	Aluminum 15" Coil	(Listed Below)	0.032	2
	AGC315M2	Aluminum 15" Coil	M2	0.032	2
	*AGC318	Aluminum 18" Coil	BZ/FR, ES/80, MB/80, MB/FR, RB/WH, ST/CC	0.032	2

^{*18&}quot; Gutter Coil cannot be sold in spin down quantities.

Spin Down Gutter Coil



Part #	Description	Colors	Nominal Thickness	Pieces/ Pound
ASC21134	Aluminum 11-3/4" Coil	(Listed Below)	0.027	Order by the lb.
ASC21178	Aluminum 11-7/8" Coil	(Listed Below)	0.027	Order by the lb.
ASC215	Aluminum 15" Coil	(Listed Below)	0.027	Order by the lb.
ASC31134	Aluminum 11-3/4" Coil	BK, WI, 80	0.032	Order by the lb.
ASC315	Aluminum 15" Coil	(Listed Below)	0.032	Order by the lb.
LSC61178	Galvalume 11-7/8" Coil	Mill	26 ga	Order by the lb.
LSC615	Galvalume 15" Coil	Mill	26 ga	Order by the lb.
CSC21178	Copper 11-7/8" Coil 1'/#	Copper	16 oz	Order by the lb.
CSC215	Copper 15" Coil	Copper	16 oz	Order by the lb.

Note: Min. of 25 lbs./Max. of 150 lbs.

As an extra service, we'll spin down small quantities of a slow moving color on a special order basis. Minimum quantity is 25 lbs.

Please note, once order is activated, no returns or changes can be made.

Rainware & Accessories Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	AD	CAMEO	CA	EVEREST	EV	NORWEGIAN WOOD	NW	NX SIERRA CLAY	SI
ALMOND	AL	CHARCOAL GREY	CG	EVERGREEN	EG	PEBBLESTONE CLAY	PC	NX SILVER/SILVER GR	EY SG
ANTIQUE IVORY	ΑI	CLASSIC CREAM	CC	FROST	FR	REDWOOD	RW	TERRA BRONZE	TB
BEAVER BROWN	BB	COPPER PENNY	CP	HARBOR GREY	HG	ROYAL BROWN	RB	VICTORIAN GREY	VG
BLACK	BK	COUNTRY BLUE	CU	NX LINEN	LN	★RUSTIC COPPER	M2	WICKER	WI
BRONZE	BZ	DESERT SAND	DS	LINEN	LI	SAGE	SA	30 WHITE	WH
BROOKSTONE	BS	NX DUNE	CD	MONTANA SUEDE	MS	NX SAND STONE	SS	80 WHITE	80
BUCKSKIN	BU	EGG SHELL	ES	MUSKET BROWN	MB	SANDTONE	ST		

^{*}Not available - .027: •11'3/4" CP, MS •11'7/8" ES, SA, SG •15" SA .032: •11'3/4" AD, CP, ES, SA •11'7/8" CP


^{*}Rustic Copper is a PREMIUM color. NOTE: Rustic Copper (M2) accessories, including miters and end caps, may display paint finish variations due to the metallic painting process, which may affect matching components.



NORANDEX Downspouts

APOLLO BEACH PLANT

Downspouts	Part #	Description	Colors	Nominal Thickness	Piece Length	Pieces/ Box	Boxes/ Pallet
	ADS238	Aluminum 2 x 3 x 8' DS	(Listed Below)	0.019	8′	*10	28
	ADS238M2	Aluminum 2 x 3 x 8' DS	M2 (Premium Color)	0.019	8′	*10	28
	ADS348	Aluminum 3 x 4 x 8' DS	(Listed Below)	0.019	8′	*10	15
	*Order in ful	l-carton quantities only.					
	ADS2310	Aluminum 2 x 3 x 10' DS	(Listed Below)	0.019	10′	10	28
	ADS2310M2	Aluminum 2 x 3 x 10' DS	M2 (Premium Color)	0.019	10'	10	28
	ADS3410	Aluminum 3 x 4 x 10' DS	(Listed Below)	0.019	10′	10	15
	ADS3410M2	Aluminum 3 x 4 x 10' DS	M2 (Premium Color)	0.019	10'	10	15
	ADS23410	Aluminum 3 x 4 x 10' DS	BK, RB, WH	0.024	10'	10	15
	ADS24510	Aluminum 4 x 5 x 10' DS	AL, AI, BK, BZ, CC, ES, FR, MB, RB, ST, SI, TB, WH, 80, W	0.027	10′	6	15
	LDS3410	Galvalume 3 x 4 x 10' DS	Mill	26 ga	10′	5	
	CDS2310	Copper 2 X 3 x 10' DS	Copper	10 oz	10′ Oı	der by the	pc.
	CDS3410	Copper 3 x 4 x 10' DS	Copper	10 oz		der by the	



Rainware & Accessories Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	AD	CAMEO	CA	EVEREST	EV	NORWEGIAN WOOD	NW	NX SIERRA CLAY	SI
ALMOND	AL	CHARCOAL GREY	CG	EVERGREEN	EG	PEBBLESTONE CLAY	PC	NX SILVER/SILVER GF	REY SG
ANTIQUE IVORY	ΑI	CLASSIC CREAM	CC	FROST	FR	REDWOOD	RW	TERRA BRONZE	TB
BEAVER BROWN	BB	COPPER PENNY	CP	HARBOR GREY	HG	ROYAL BROWN	RB	VICTORIAN GREY	VG
BLACK	BK	COUNTRY BLUE	CU	NX LINEN	LN	*RUSTIC COPPER	M2	WICKER	WI
BRONZE	BZ	DESERT SAND	DS	LINEN	LI	SAGE	SA	30 WHITE	WH
BROOKSTONE	BS	NX DUNE	CD	MONTANA SUEDE	MS	NX SAND STONE	SS	80 WHITE	80
BUCKSKIN	BU	EGG SHELL	ES	MUSKET BROWN	MB	SANDTONE	ST		

*Rustic Copper is a PREMIUM color. NOTE: Rustic Copper (M2) accessories, including miters and end caps, may display paint finish variations due to the metallic painting process, which may affect matching components.

NORANDEX[®] Elbows

APOLLO BEACH PLANT

Elbows	Part #	Description	Colors	Nominal Thickness	Piece Length	Pieces/ Box	Boxes/ Pallet	
	AAE23	Aluminum 2 x 3 A Elbow	*(Listed Below)	0.019	10-9/16"	30	32	
	AAE23M2	Aluminum 2 x 3 A Elbow	M2 (Premium Color)	0.019	10-9/16"	30	32	
	AAE34	Aluminum 3 x 4 A Elbow	(Listed Below)	0.019	12-3/4"	30	16	
	AAE34M2	Aluminum 3 x 4 A Elbow M2 (Premium Color)		0.019	12-3/4"	30	16	
West - 11	AAE234	Aluminum 2 x 3 A Elbow	(Listed Below)	0.024	10-9/16"	30	32	
	AAE245	Aluminum 4 x 5 A Elbow	AL, AI, BK, BZ, CC, ES, FR, MB, RB, ST, SI, TB, WH, 80, WI	0.027	15-1/2"	9	12	
	ABE23	Aluminum 2 x 3 B Elbow	*(Listed Below)	0.019	11-1/2"	30	32	
	ABE23M2	Aluminum 2 x 3 B Elbow	M2 (Premium Color)	0.019	11-1/2"	30	32	
	ABE34	Aluminum 3 x 4 B Elbow	(Listed Below)	0.019	15"	30	16	
	ABE34M2	Aluminum 3 x 4 B Elbow	M2 (Premium Color)	0.019	15"	30	16	
	ABE234	Aluminum 2 x 3 B Elbow	(Listed Below)	0.024	11-1/2"	30	32	
	ABE245	Aluminum 4 x 5 B Elbow	AL, AI, BK, BZ, CC, ES, FR, MB, RB, ST, SI, TB, WH, 80, WI	0.027	15-3/4"	9	12	
	LAE34	Galvalume 3 x 4 A Elbow	Mill	26 ga	12-3/4"	30		
	LBE34	Galvalume 3 x 4 B Elbow	Mill	26 ga	15"	30		
	CAE23	Copper 2 x 3 A Elbow	Copper	10 oz	10-9/16″C	rder by the	pc.	
	CAE34	Copper 3 x 4 A Elbow	Copper	10 oz	12-3/4"Order by the pc.			
	CBE23	Copper 2 x 3 B Elbow	Copper	10 oz	11-1/2″0	rder by the	pc.	
	CBE34	Copper 3 x 4 B Elbow	Copper	10 oz	15" Order by the pc.			


*AAE23 - - & ABE23 - - not available in ES, SG.




3-1/8" →

75°


ABE23 B-Elbow




AAE34, CAE34 A-Elbow




ABE34, CBE34 B-Elbow



AAE245 A-Elbow



ABE245 B-Elbow



Rainware & Accessories Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	AD	CAMEO	CA	EVEREST	EV	NORWEGIAN WOOD	NW	NX SIERRA CLAY	SI
ALMOND	AL	CHARCOAL GREY	CG	EVERGREEN	EG	PEBBLESTONE CLAY	PC	NX SILVER/SILVER GRI	EY SG
ANTIQUE IVORY	ΑI	CLASSIC CREAM	CC	FROST	FR	REDWOOD	RW	TERRA BRONZE	TB
BEAVER BROWN	BB	COPPER PENNY	CP	HARBOR GREY	HG	ROYAL BROWN	RB	VICTORIAN GREY	VG
BLACK	BK	COUNTRY BLUE	CU	NX LINEN	LN	★RUSTIC COPPER	M2	WICKER	WI
BRONZE	BZ	DESERT SAND	DS	LINEN	LI	SAGE	SA	30 WHITE	WH
BROOKSTONE	BS	NX DUNE	CD	MONTANA SUEDE	MS	NX SAND STONE	SS	80 WHITE	80
BUCKSKIN	BU	EGG SHELL	ES	MUSKET BROWN	MB	SANDTONE	ST		

*Rustic Copper is a PREMIUM color. NOTE: Rustic Copper (M2) accessories, including miters and end caps, may display paint finish variations due to the metallic painting process, which may affect matching components.



NORANDEX[®] Variable Degree Elbows APOLLO BEACH PLANT

Variable Degree Elbows

This chart shows the roof pitch paired to the approximate variable degree elbow.


ROOF PITCH	DEGREE
Mansard	15°
18/12	22°
16/12	22°
14/12	22°
12/12	30°
10/12	45°
8/12	45°
6/12	45°
4/12	75°

Variable degree elbows are used to go around obstructions (ledge jumpers) or transition to the slope of the roof.


Part #	Description	Colors	Nominal	Piece	Pieces/	
	•		Thickness	Length	Box	Pallet
AAE123	Aluminum 2 x 3 V/D A Elbow 15 ^o	(Listed Below)	0.019	6-1/4"	30	32
AAE2223	Aluminum 2 x 3 V/D A Elbow 22º	(Listed Below)	0.019	6-3/4"	30	16
AAE323	Aluminum 2 x 3 V/D A Elbow30°	(Listed Below)	0.019	(7.19)"	30	16
AAE423	Aluminum 2 x 3 V/D A Elbow 45°	(Listed Below)	0.019	(7.94)"	30	16
AAE923	Aluminum 2 x 3 V/D A Elbow 90°	(Listed Below)	0.019		30	
AAE134	Aluminum 3 x 4 V/D A Elbow 15º	(Listed Below)	0.019		30	8
AAE2234	Aluminum 3 x 4 V/D A Elbow 22º	(Listed Below)	0.019		30	16
AAE334	Aluminum 3 x 4 V/D A Elbow30°	(Listed Below)	0.019		30	16
AAE434	Aluminum 3 x 4 V/D A Elbow 45°	(Listed Below)	0.019		30	16
AAE934	Aluminum 3 x 4 V/D A Elbow 90°	(Listed Below)	0.019		30	16
AAE3245ES	Aluminum 4 x 5 V/D A Elbow30°	ES, MB	0.027		9	12
AAE2445	Aluminum 4 x 5 V/D A Elbow 45º	BZ, CC, ES, FR, MB, RB, ST, *TB, WH, 80	0.027		9	12
ABE123	Aluminum 2 x 3 V/D B Elbow 15°	(Listed Below)	0.019	6-1/4"	30	16
ABE2223	Aluminum 2 x 3 V/D B Elbow 22º	(Listed Below)	0.019	6-3/4"	30	16
ABE323	Aluminum 2 x 3 V/D B Elbow 30°	(Listed Below)	0.019	(7.19)"	30	16
ABE423	Aluminum 2 x 3 V/D B Elbow 45º	(Listed Below)	0.019	(7.94)"	30	16
ABE923	Aluminum 2 x 3 V/D B Elbow 90°	(Listed Below)	0.019		30	
ABE134	Aluminum 3 x 4 V/D B Elbow 15º	(Listed Below)	0.019		30	8
ABE2234	Aluminum 3 x 4 V/D B Elbow 22º	(Listed Below)	0.019		30	16
ABE334	Aluminum 3 x 4 V/D B Elbow 30°	(Listed Below)	0.019		30	16
ABE434	Aluminum 3 x 4 V/D B Elbow 45°	(Listed Below)	0.019		30	16
ABE934	Aluminum 3 x 4 V/D B Elbow 90°	(Listed Below)	0.019		30	16
ABE2445	Aluminum 4 x 5 V/D B Elbow 45°	BZ, CC, ES, FR, MB, RB, ST, *TB, WH, 80	0.027		9	12
LAE334	Galvalume 3 x 4 V/D A Elbow 30°	Mill	26 ga	15"	30	
	, , , , , , , , , , , , , , , , , , , ,					
LBE334	Galvalume 3 x 4 V/D B Elbow 30°	Mill	26 ga	15"	30	

^{*}Note: Extended lead time required for this part in this color.

AAE123 A-Elbow



AAE923 A-Elbow



Rainware & Accessories Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	AD	CHARCOAL GREY	CG	EVERGREEN	EG	PEBBLESTONE CLAY	PC	TERRA BRONZE	TB
ALMOND	AL	CLASSIC CREAM	CC	FROST	FR	REDWOOD	RW	VICTORIAN GREY	VG
BEAVER BROWN	BB	COPPER PENNY	CP	HARBOR GREY	HG	ROYAL BROWN	RB	WICKER	WI
BLACK	BK	COUNTRY BLUE	CU	NX LINEN	LN	SAGE	SA	30 WHITE	WH
BRONZE	BZ	DESERT SAND	DS	LINEN	LI	NX SAND STONE	SS	80 WHITE	80
BROOKSTONE	BS	EGG SHELL	ES	MONTANA SUEDE	MS	SANDTONE	ST		
BUCKSKIN	BU	NX DUNE	CD	MUSKET BROWN	MB	NX SIERRA CLAY	SI		
CAMEO	CA	EVEREST	EV	NORWEGIAN WOOD	NW	NX SILVER/SILVER GR	Y SG		



NORANDEX Offsets

APOLLO BEACH PLANT

BRICK LEDGE


We have several varieties of offset downspout connections to transition gracefully over a brick ledge. You can eliminate the awkward look of a two-piece configuration with our choice of 1" to 6" away-fromthe-wall options.

Part #	Description	Colors	Nominal Thickness	Pieces/ Box
ABO2A23A	Alum. Brickledge Offsets (2 pc.) 2 x 3 A's, 4 Crimps	45° *(Listed Below)	0.019	18 pcs./9 sets
ABO2A34A	Alum. Brickledge Offsets (2 pc.) 3 x 4 A's, 3 Crimps	45° *(Listed Below)	0.019	18 pcs./9 sets
ABO1123A	Aluminum 2 x 3 - 1" A Offset	(Listed Below)	0.019	24
ABO1223A	Aluminum 2 x 3 - 2" A Offset	(Listed Below)	0.019	24
ABO1323A	Aluminum 2 x 3 - 3" A Offset	(Listed Below)	0.019	24
ABO1423A	Aluminum 2 x 3 - 4" A Offset	(Listed Below)	0.019	20
ABO1523A	Aluminum 2 x 3 - 5" A Offset	(Listed Below)	0.019	20
ABO1623A	Aluminum 2 x 3 - 6" A Offset	(Listed Below)	0.019	20
ABO1134A	Aluminum 3 x 4 - 1" A Offset	(Listed Below)	0.019	24
ABO1234A	Aluminum 3 x 4 - 2" A Offset	(Listed Below)	0.019	24
ABO1334A	Aluminum 3 x 4 - 3" A Offset	(Listed Below)	0.019	24
ABO1434A	Aluminum 3 x 4 - 4" A Offset	(Listed Below)	0.019	20
ABO1534A	Aluminum 3 x 4 - 5" A Offset	(Listed Below)	0.019	20
ABO1634A	Aluminum 3 x 4 - 6" A Offset	(Listed Below)	0.019	20
LBO1234A	Galvalume 3 x 4 - 2" A Offset	Mill	28 ga	24
LBO1534A	Galvalume 3 x 4 - 5" A Offset	Mill	28 ga	20
ABO1145A		AL, AI, BK, BZ, CC, ES, FR, B, RB, ST, SI, TB, WH, 80, WI	0.027	9
ABO1245A		AL, AI, BK, BZ, CC, ES, FR, B, RB, ST, SI, TB, WH, 80, WI	0.027	9
ABO1345A	Alliminim 4 x 5 - 3 AS	AL, AI, BK, BZ, CC, ES, FR, B, RB, ST, SI, TB, WH, 80, WI	0.027	9
ABO1445A		AL, AI, BK, BZ, CC, ES, FR, B, RB, ST, SI, TB, WH, 80, WI	0.027	9
ABO1545A		AL, AI, BK, BZ, CC, ES, FR, B, RB, ST, SI, TB, WH, 80, WI	0.027	9
ABO1645A		AL, AI, BK, BZ, CC, ES, FR, B, RB, ST, SI, TB, WH, 80, WI	0.027	9


All "A" Offsets also available in "B" profiles.

*Note: ABO2A34A not available in SI.


ABO1123A A-Offset




ABO2A23A A-Offset



ABO1134A A-Offset



ABO2A34A A-Offset



Rainware & Accessories Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	AD	CAMEO	CA	EVEREST	EV	NORWEGIAN WOOD	NW	NX SILVER/SILVER GF	REY SG
ALMOND	AL	CHARCOAL GREY	CG	EVERGREEN	EG	PEBBLESTONE CLAY	PC	TERRA BRONZE	TB
ANTIQUE IVORY	ΑI	CLASSIC CREAM	CC	FROST	FR	REDWOOD	RW	VICTORIAN GREY	VG
BEAVER BROWN	BB	COPPER PENNY	CP	HARBOR GREY	HG	ROYAL BROWN	RB	WICKER	WI
BLACK	BK	COUNTRY BLUE	CU	NX LINEN	LN	SAGE	SA	30 WHITE	WH
BRONZE	BZ	DESERT SAND	DS	LINEN	LI	NX SAND STONE	SS	80 WHITE	80
BROOKSTONE	BS	NX DUNE	CD	MONTANA SUEDE	MS	SANDTONE	ST		
BUCKSKIN	BU	EGG SHELL	ES	MUSKET BROWN	MB	NX SIERRA CLAY	SI		



NORANDEX Downspout Accessories APOLLO BEACH PLANT

Part #	Description	Colors	Nominal Thickness	Pieces/ Box
AORE23ML	Aluminum 2 x 3 Rectangle Outlet	*		30
AORE34ML	Aluminum 3 x 4 Rectangle Outlet	*		50
AORE45ML	Aluminum 4 x 5 Rectangle Outlet	*		50
AORO238ML	Aluminum 2-3/8" Round Outlet	*		250
AORO234ML	Aluminum 2-3/4" Round Outlet	*		250
AORO338ML	Aluminum 3-3/8" Round Outlet	*		100
AOOV23ML	Aluminum 2 x 3 Oval Outlet	*		30
AOOV34ML	Aluminum 3 x 4 Oval Outlet	*		50
CORE34	Copper 3 x 4 Rectangle Outlet	Copper	16 oz	Order by the pc.

^{*}NOTE: Aluminum outlets made with mill or painted finish per manufacturer's discretion.

PVC Adapters



Part #	Description	Colors	Pieces/ Box	
APVC234WH	PVC 2 x 3 x 4 Flush Mount Adapter	WH	12	
APVC234BK	PVC 2 x 3 x 4 Flush Mount Adapter	BK	12	
APVC344BK	PVC 3 x 4 x 4 Flush Mount Adapter	BK	12	

Y Adapters	Part #	Description	Colors	Nominal Thickness	Pieces/ Box	
	AYA34WH	Aluminum 3 x 4 "Y" Adapter	WH	0.019	10	



Downspout Bands Part #		Description	Colors	Nominal Thickness	Pieces/ Box	
	ADSPB34	Aluminum 3 x 4 Universal DS Band	(Listed Below)	0.019	100	



Downspout Clips	Part #	Description	Colors	Nominal Thickness	Pieces/ Box	
	ADSCP23	Aluminum 2 x 3 DS Clip	WH	0.032	100	
50000	ADSCP34	Aluminum 3 x 4 DS Clip	WH	0.032	50	
	ADSCP34M2	Aluminum 3 x 4 DS Clin	M2 (Premium Color)	0.032	50	

*Rustic Copper is a PREMIUM color. NOTE: Rustic Copper (M2) accessories, including miters and end caps, may display paint finish variations due to the metallic painting process, which may affect matching components.


Downspout Hinges	Part #	Description	Colors	Pairs/ Bag	
	AZHWH	Aluminum 2 x 3 / 3 x 4 Zip Hinge	WH	12 pairs	



Splash Blocks	Part #	Description	Colors	Pieces/ Box	
	SBGN	Splash Block - Green	GN	Order by the pc.	








Bay Miters



Part #	Description Colors		Nominal Thickness	Pieces/ Box
ABY5I	Aluminum 5" Inside Bay Miter	(Listed Below)	0.019	20
ABY50	Aluminum 5" Outside Bay Miter	(Listed Below)	0.019	20
ABY5IM2	Aluminum 5" Inside Bay Miter	M2 (Premium Color)	0.019	20
ABY50M2	Aluminum 5" Outside Bay Miter	M2 (Premium Color)	0.019	20
ABY6I	Aluminum 6" Inside Bay Miter	(Listed Below)	0.019	20
ABY60	Aluminum 6" Outside Bay Miter	(Listed Below)	0.019	20
ABY6IM2	Aluminum 6" Inside Bay Miter	M2 (Premium Color)	0.019	20
ABY6OM2	Aluminum 6" Outside Bay Miter	M2 (Premium Color)	0.019	20
ABY7I	Aluminum 7" Inside Bay Miter	BZ, CC, ES, FR, RB, ST, WH, 80	0.019	20
ABY70	Aluminum 7" Outside Bay Miter	BZ, CC, ES, FR, RB, ST, WH, 80	0.019	20
LBY6I	Galvalume 6" Inside Bay Miter	Mill	26 ga	20
LBY6O	Galvalume 6" Outside Bay Miter	Mill	26 ga	20
CBY6I	Copper 6" Inside Bay Miter	Copper	16 oz	Order by the pc.
CBY60	Copper 6" Outside Bay Miter	Copper	16 oz	Order by the pc.

Strip Miters



Part #	Description	Colors	Nominal Thickness	Pieces/ Box
ASM5I	Aluminum 5" Inside Strip Miter	(Listed Below)	0.027	20
ASM50	Aluminum 5" Outside Strip Miter	(Listed Below)	0.027	20
ASM5IM2	Aluminum 5" Inside Strip Miter	M2 (Premium Color)	0.027	20
ASM5OM2	Aluminum 5" Outside Strip Miter	M2 (Premium Color)	0.027	20
ASM6I	Alum. 6" Inside Strip Miter	(Listed Below)	0.027	20
ASM60	Alum. 6" Outside Strip Miter	(Listed Below)	0.027	20
ASM6IM2	Alum. 6" Inside Strip Miter	M2 (Premium Color)	0.027	20
ASM6OM2	Alum. 6" Outside Strip Miter	M2 (Premium Color)	0.027	20
ASM7I	Aluminum 7" Inside Strip Miter	BZ, CC, ES, FR, RB, ST, WH, 80	0.027	20
ASM70	Aluminum 7" Outside Strip Miter	BZ, CC, ES, FR, RB, ST, WH, 80	0.027	20
LSM5I	Galvalume 5" Inside Strip Miter	Mill	26 ga	20
LSM50	Galvalume 5" Outside Strip Miter	Mill	26 ga	20
LSM6I	Galvalume 6" Inside Strip Miter	Mill	26 ga	20
LSM60	Galvalume 6" Outside Strip Miter	Mill	26 ga	20
CSM6I	Copper 6" Inside Strip Miter	Copper	16 oz	Order by the pc.
CSM60	Copper 6" Outside Strip Miter	Copper	16 oz	Order by the pc.

Extreme Miter™



Part #	Description	Colors	Nominal Thickness	Pieces/ Box
AEM5	Aluminum 5" Extreme Miter™	RB, WH, 80	0.019	10
AEM6WH	Aluminum 6" Extreme Miter™	WH	0.019	10

Extreme Miter™


Rainware & Accessories Colors


COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	AD	CAMEO	CA	EVEREST	EV	NORWEGIAN WOOD	NW	NX SIERRA CLAY	SI
ALMOND	AL	CHARCOAL GREY	CG	EVERGREEN	EG	PEBBLESTONE CLAY	PC	NX SILVER/SILVER GR	EY SG
ANTIQUE IVORY	ΑI	CLASSIC CREAM	CC	FROST	FR	REDWOOD	RW	TERRA BRONZE	TB
BEAVER BROWN	BB	COPPER PENNY	CP	HARBOR GREY	HG	ROYAL BROWN	RB	VICTORIAN GREY	VG
BLACK	BK	COUNTRY BLUE	CU	NX LINEN	LN	★ RUSTIC COPPER	M2	WICKER	WI
BRONZE	BZ	DESERT SAND	DS	LINEN	LI	SAGE	SA	30 WHITE	WH
BROOKSTONE	BS	NX DUNE	CD	MONTANA SUEDE	MS	NX SAND STONE	SS	80 WHITE	80
BUCKSKIN	BU	EGG SHELL	ES	MUSKET BROWN	MB	SANDTONE	ST		



NORANDEX Expansion & Slip Joints & End Caps APOLLO BEACH PLANT

Nominal Thickness Pieces/ **Expansion Joints** Part # Colors Description Box AEJ5ML Aluminum 5" Expansion Joint Mill 0.030 12 AEJ6ML Aluminum 6" Expansion Joint Mill 0.030 12






A 50' section of gutter can potentially expand almost 2/3 of an inch from winter to summer moving the fasteners back and forth until the gutter falls down. Expansion joints are a preventive measure for excessive movement in the gutter, and should be mounted in place every 50' of exceptionally long gutter runs.

Slip Joints	Part #	Description	Colors	Nominal Thickness	Pieces/ Box
1000	ASJC5	Aluminum 5" Slip Joint	RB, WH	0.019	Order by the pc.





Life Caps	
Right End Cap	

End Cans



Part #	Description	Colors	Nominal Thickness	Piece Length	Pieces/ Box
AEC5L	Aluminum 5" Left End Cap	(Listed Below)	0.019	5″	50
AEC5R	Aluminum 5" Right End Cap	(Listed Below)	0.019	5″	50
AEC5LM2	Aluminum 5" Left End Cap	M2 (Premium Color)	0.019	5"	50
AEC5RM2	Aluminum 5" Right End Cap	M2 (Premium Color)	0.019	5"	50
AEC6L	Aluminum 6" Left End Cap	(Listed Below)	0.019	6"	50
AEC6R	Aluminum 6" Right End Cap	(Listed Below)	0.019	6"	50
AEC6LM2	Aluminum 6" Left End Cap	M2 (Premium Color)	0.019	6"	50
AEC6RM2	Aluminum 6" Right End Cap	M2 (Premium Color)	0.019	6"	50
AEC7L	Aluminum 7" Left End Cap	BZ, CC, ES, FR, MB, RB, ST, WH, 80	0.027	7″	50
AEC7R	Aluminum 7" Right End Cap	BZ, CC, ES, FR, MB, RB, ST, WH, 80	0.027	7″	50
LEC5L	Galvalume 5" Left End Cap	Mill	26 ga	5″	50
LEC5R	Galvalume 5" Right End Cap	Mill	26 ga	5″	50
LEC6L	Galvalume 6" Left End Cap	Mill	26 ga	6"	50
LEC6R	Galvalume 6" Right End Cap	Mill	26 ga	6"	50
CEC5L	Copper 5" Left End Cap	Copper	16 oz	5″	Order by the pc.
CEC5R	Copper 5" Right End Cap	Copper	16 oz	5″	Order by the pc.
CEC6L	Copper 6" Left End Cap	Copper	16 oz	6"	Order by the pc.
CEC6R	Copper 6" Right End Cap	Copper	16 oz	6"	Order by the pc.

Rainware & Accessories Colors


COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	AD	CAMEO	CA	EVEREST	EV	NORWEGIAN WOOD	NW	NX SIERRA CLAY	SI
ALMOND	AL	CHARCOAL GREY	CG	EVERGREEN	EG	PEBBLESTONE CLAY	PC	NX SILVER/SILVER GF	REY SG
ANTIQUE IVORY	ΑI	CLASSIC CREAM	CC	FROST	FR	REDWOOD	RW	TERRA BRONZE	TB
BEAVER BROWN	BB	COPPER PENNY	CP	HARBOR GREY	HG	ROYAL BROWN	RB	VICTORIAN GREY	VG
BLACK	BK	COUNTRY BLUE	CU	NX LINEN	LN	★RUSTIC COPPER	M2	WICKER	WI
BRONZE	BZ	DESERT SAND	DS	LINEN	LI	SAGE	SA	30 WHITE	WH
BROOKSTONE	BS	NX DUNE	CD	MONTANA SUEDE	MS	NX SAND STONE	SS	80 WHITE	80
BUCKSKIN	BU	EGG SHELL	ES	MUSKET BROWN	MB	SANDTONE	ST		


*Rustic Copper is a PREMIUM color. NOTE: Rustic Copper (M2) accessories, including miters and end caps, may display paint finish variations due to the metallic painting process, which may affect matching components.




NORANDEX[®] Hangers

APOLLO BEACH PLANT







Rainware & Accessories Colors


COLOR	CODE	COLOR	CODE	COLOR	CODE
ROYAL BROWN	RB	WHITE	WH	80 WHITE	80



NORANDEX Hangers & Rainware Accessories APOLLO BEACH PLANT

T-Bar Har	ıge	rs	

Part #	Description	Colors	Nominal Thickness	Piece Length	Pieces/ Bag	Pieces/ Box
ATBH5ML	Aluminum 5" T-Bar Strap Hanger w/Clip	Mill	0.060	12-1/2"	N/A	100
ATS5ML	Alum. 5/8" T-Bar Strap only	Mill	0.032	9-7/8"	100	2000



Hangers with Screws



Part #	Description	Colors	Thickness	Length	Box
AHFHS5ML	Alum. 5" Quick Screw Hidden Hgr w/Screw	Mill	0.060	5″	500
AHFHS6ML	Alum. 6" Quick Screw Hidden Hgr w/Screw	Mill	0.060	6"	300
AHUTS5CML	Alum. 5" Ultimate Hidden Hanger w/Screw & Clip	Mill	0.061	5″	400
AHUTS6CML	Alum. 6" Ultimate Hidden Hanger w/Screw & Clip	Mill	0.061	6"	300
AHFHS7ML	Alum. 7" Quick Screw Hidden Hgr w/Screw	Mill	0.060	7″	200
BHFHS5	Brass 5" Hang Fast w/Screw	Brass	0.115	5″	Order by the pc.

I-weage	
ATW44ML	7
	ATW45MML

Part #	Description	Colors	Nominal Thickness	Pieces/ Bag	
ATW44ML	Aluminum 5" T-Wedge 4400	Mill	0.070	50	
ATW45MML	Aluminum 5"-6" T-Wedge 4500	Mill	0.070	50	
ATWHR49ML	Aluminum 6" Half Round T-Wedge 4900	Mill	0.070	50	

A T-Wedge can be adjusted to keep the gutter level at various fascia board angles.

Gutter Wedo	OC
Gutter Mead	(3)



Part #	Description	Colors	Nominai Thickness	Box	
GW5	Aluminum 5" Gutter Wedge	RB, WH	0.027	100	
GW6	Aluminum 6" Gutter Wedge	RB, WH	0.027	50	

Spikes	Part #	Description	Colors	Piece Length	Pieces/ Box	
	AS7WH	Aluminum 7" Painted Spike	WH	7″	500	
	AS8WH	Aluminum 8" Painted Spike	WH	8″	500	
	AS8ML	Aluminum 8" Spike	Mill	8″	500	

Ferrules	Part #	Description	Colors	Piece Length	Pieces/ Box	
	AF5ML	Aluminum 5" Ferrule	Mill	5″	500	
	AF6ML	Aluminum 6" Ferrule	Mill	6"	500	

Rainware & Accessories Colors

COLOR	CODE	COLOR	CODE
ROYAL BROWN	RB	WHITE	WH



NORANDEX Round & Half Round Products APOLLO BEACH PLANT

Half Round Gutters



Part #	Description	Colors	Nominal Thickness	Piece Length	Pieces/ Box	Boxes/ Pallet
AGUH610	Alum. 6" Reverse Bead 10' Sections	(Listed Below)	0.027	10′	5	16
AGUH610M2	Alum. 6" Reverse Bead 10' Sections	M2 (Premium Color)	0.027	10'	5	16
AGUH620	Alum. 6" Reverse Bead 20' Sections	(Listed Below)	0.027	20'	5	16
AGUH620M2	Alum. 6" Reverse Bead 20' Sections	M2 (Premium Color)	0.027	20'	5	16
LGUH610	Glum. 6" Reverse Bead 10' Sections	Mill	26 ga	10′	5	16
LGUH620	Glum. 6" Reverse Bead 20' Sections	Mill	26 ga	20'	5	16
CGUH610	Copper 6" Reverse Bead 10' Sections	Copper	10 oz	10′	5	
CGUH620	Copper 6" Reverse Bead 20' Sections	Copper	10 oz	20'	5	
Cold in E co.	ent contone only					

Sold in 5-count cartons only.

Round Downspouts



Part #	Description	Colors	Nominal Thickness	Piece Length	Pieces/ Box	Boxes/ Pallet
ADSR310	Alum. 3" Round x 10', Smooth	(Listed Below)	0.019	10'	5	30
ADSR310M2	Alum. 3" Round x 10', Smooth	M2 (Premium Color)	0.019	10'	5	30
ADSR410	Alum. 4" Round x 10', Smooth	(Listed Below)	0.019	10′	5	20
ADSR410M2	Alum. 4" Round x 10', Smooth	M2 (Premium Color)	0.019	10′	5	20
GDSR410	Galv. 4" Round x 10'	(Listed Below)	26 ga	10'	5	30
GDSR410ML	Galv. 4" Round x 10'	Mill	26 ga	10'	5	30
LDSR310	Glum. 3" Round x 10', Plain	Mill	26 ga	10'	5	28
LDSR410	Glum. 4" Round x 10', Plain	Mill	26 ga	10′	5	28
CDSR310	Copper 3" Round x 10', Smooth	Copper	10 oz	10′	Order by the	pc.
CDSR410	Copper 4" Round x 10', Smooth	Copper	10 oz	10′	Order by the	pc.

Rainware & Accessories Aluminum Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND	AL	CAMEO	CA	■ MUSKET BROWN	MB	★ ■ RUSTIC COPPER	M2	VICTORIAN GREY	VG
BEAVER BROWN	BB	CHARCOAL GREY	CG	PEBBLESTONE CI	AY PC	SANDTONE	ST	WICKER	WI
BLACK	BK	CLASSIC CREAM	CC	PG METALLIC	М3	NX SIERRA CLAY	SI	■ 30 WHITE	WH
■ BRONZE	BZ	■ COPPER PENNY	CP	ROYAL BROWN	RB	TERRA BRONZE	TB	80 WHITE	80
BUCKSKIN	BU	HARBOR GREY	HG						

[■] Stocked half-round colors. Balance of colors available with extended lead-time.

*Rustic Copper is a PREMIUM color. NOTE: Rustic Copper (M2) accessories, including miters and end caps, may display paint finish variations due to the metallic painting process, which may affect matching components.

Rainware Steel Colors:

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
BEAVER BROWN	BB	CLASSIC CREAM	CC	EVERGREEN	EG	PEBBLESTONE CLAY	PC	TAHOE BLUE	TA
BLACK	BK	COUNTRY BLUE	CU	HARBOR GREY	HG	PRIME	PR	VICTORIAN GREY	VG
BRONZE	BZ	DESERT SAND	DS	HARVEST BROWN	HV	REDWOOD	RW	WICKER	WI
CHARCOAL GREY	CG	EGGSHELL	ES	MUSKET BROWN	MB	ROYAL BROWN	RB	30 WHITE	WH



NORANDEX[®] Round Products

APOLLO BEACH PLANT

Round Elbows



Part #	Description	Colors	Nominal Thickness	Pieces/ Box	Boxes/ Pallet
AER3	Alum. 3" Round 750	(Listed Below)	0.019	30	16
AER3M2	Alum. 3" Round 75°	M2 (Premium Color)	0.019	30	16
AER4	Alum. 4" Round 750	(Listed Below)	0.019	30	16
AER4M2	Alum. 4" Round 75°	M2 (Premium Color)	0.019	30	16
GER430ML	Galv. 4" Round 30º	Mill	26 ga	20	24
GER445	Galv. 4" Round 450	(Listed Below)	26 ga	20	24
GER445ML	Galv. 4" Round 45º	Mill	26 ga	20	24
GER475	Galv. 4" Round 750	(Listed Below)	26 ga	20	24
GER475ML	Galv. 4" Round 75º	Mill	26 ga	20	24
LER3	Glum. 3" Round 75º	Mill	26 ga	10	32
LER445	Glum. 4" Round 45º	Mill	26 ga	10	32
LER4	Glum. 4" Round 75º	Mill	26 ga	10	32
CER330	Copper 3" Round 30º	Copper	10 oz	Order by the pc.	
CER3	Copper 3" Round 750	Copper	10 oz	Order by the pc.	
CER430	Copper 4" Round 30º	Copper	10 oz	Order by the pc.	
CER4	Copper 4" Round 75º	Copper	10 oz	Order by the pc.	

Round Offsets



Part #	Description	Colors	Nominal Thickness	Pieces/ Box
ABO12R3	Aluminum 2" Offset 3" Round	(Listed Below)	0.019	20
ABO12R3M2	Aluminum 2" Offset 3" Round	M2 (Premium Color)	0.019	20
ABO14R3	Aluminum 4" Offset 3" Round	(Listed Below)	0.019	20
ABO14R3M2	Aluminum 4" Offset 3" Round	M2 (Premium Color)	0.019	20
ABO12R4	Aluminum 2" Offset 4" Round	(Listed Below)	0.019	20
ABO12R4M2	Aluminum 2" Offset 4" Round	M2 (Premium Color)	0.019	20
ABO14R4	Aluminum 4" Offset 4" Round	(Listed Below)	0.019	20
ABO14R4M2	Aluminum 4" Offset 4" Round	M2 (Premium Color)	0.019	20
ABO16R4	Aluminum 6" Offset 4" Round	(Listed Below)	0.019	20
CBO12R3	Copper 2" Offset 3" Round	Copper	10 oz	Order by the pc.
CBO14R3	Copper 4" Offset 3" Round	Copper	10 oz	Order by the pc.
CBO12R4	Copper 2" Offset 4" Round	Copper	10 oz	Order by the pc.
CBO14R4	Copper 4" Offset 4" Round	Copper	10 oz	Order by the pc.
CBO16R4	Copper 6" Offset 4" Round	Copper	10 oz	Order by the pc.

Rainware & Accessories Aluminum Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND BEAVER BROWN BLACK BRONZE	AL BB BK BZ	CAMEO CHARCOAL GREY CLASSIC CREAM COPPER PENNY	CA CG CC CP	■ MUSKET BROWN PEBBLESTONE CL PG METALLIC ROYAL BROWN	MB AY PC M3 RB	★■ RUSTIC COPPER SANDTONE NX SIERRA CLAY TERRA BRONZE	M2 ST SI TB	VICTORIAN GREY WICKER ■ 30 WHITE 80 WHITE	VG WI WH 80
BUCKSKIN	BU	HARBOR GREY	HG						

[■] Stocked half-round colors. Balance of colors available with extended lead-time.

Rainware Steel Colors:

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
BEAVER BROWN	BB	CLASSIC CREAM	CC	EVERGREEN	EG	PEBBLESTONE CLAY	PC	TAHOE BLUE	TA
BLACK	BK	COUNTRY BLUE	CU	HARBOR GREY	HG	PRIME	PR	VICTORIAN GREY	VG
BRONZE	BZ	DESERT SAND	DS	HARVEST BROWN	HV	REDWOOD	RW	WICKER	WI
CHARCOAL GREY	CG	EGGSHELL	ES	MUSKET BROWN	MB	ROYAL BROWN	RB	30 WHITE	WH

^{*}Rustic Copper is a PREMIUM color. NOTE: Rustic Copper (M2) accessories, including miters and end caps, may display paint finish variations due to the metallic painting process, which may affect matching components.



NORANDEX Half Round Products

APOLLO BEACH PLANT

Nominal Pieces/ **Half Round Outlets** Part # Description Colors **Thickness** Box AOROH63ML Aluminum 3" Round x 6" HR Outlet 0.019 50 AOROH64ML Aluminum 4" Round x 6" HR Outlet * 0.019 50 GOROH63 Galvanized 3" Round x 6" HR Outlet 26 ga Order by the pc. GOROH64 Galvanized 4" Round x 6" HR Outlet 26 ga Order by the pc. COROH63 Copper 3" Round x 6" HR Outlet Copper 10 oz Order by the pc. COROH64 Copper 4" Round x 6" HR Outlet 10 oz Order by the pc. Copper

^{*}NOTE: Aluminum outlets made with mill or painted finish per manufacturer's discretion.

Half Round	Miters	Part #	Description	Colors	Nominal Thickness	Pieces/ Box
		ASMH6I	Aluminum 6" 90°, Strip, Inside	(Listed Below)	0.027	20
		ASMH6IM2	Aluminum 6" 90°, Strip, Inside	M2 (Premium Color)	0.027	20
		ASMH60	Aluminum 6" 90°, Strip, Outside	(Listed Below)	0.027	20
		ASMH6OM2	Aluminum 6" 90°, Strip, Outside	M2 (Premium Color)	0.027	20
ASMH60	ASMH6I	ABYH6I	Aluminum 6" 45°, Bay, Inside	(Listed Below)	0.027	20
ASMINO	ASMITOI	ABYH6IM2	Aluminum 6" 45°, Bay, Inside	M2 (Premium Color)	0.027	20
		ABYH60	Aluminum 6" 45°, Bay, Outside	(Listed Below)	0.027	20
		ABYH6OM2	Aluminum 6" 45°, Bay, Outside	M2 (Premium Color)	0.027	20
ABYH6O	ABYH6I	LSMH6I	Galvalume 6" 90°, Strip, Inside	Mill	26 ga	20
ADITIOO	ADITIOI	LSMH60	Galvalume 6" 90°, Strip, Outside	Mill	26 ga	20
		CSMH6I	Copper 6" 90°, Strip, Inside	Copper	10 oz	20
		CSMH60	Copper 6" 90°, Strip, Outside	Copper	10 oz	20

Half Round Slip Joints	Part #	Description	Colors	Nominal Thickness	Pieces/ Box
A 1	ASJCH6WH	Aluminum 6" HR Slip Joint	WH	0.019	Order by the pc.
	I CICHOWII	Calvaluma (# HD Clin Jaint	WILL	26	Oudan bu tha na
	LSJCH6WH	Galvalume 6" HR Slip Joint	WH	26 ga	Order by the pc.

Half Round End Caps	Part #	Description	Colors	Nominal Thickness	Pieces/ Box	
	AECH6	Aluminum 6" HR Universal End Cap	(Listed Below)	0.019	20	
	AECH6M2	Aluminum 6" HR Universal End Cap	M2 (Premium Color)	0.019	20	
	LECH6	Galvalume 6" HR Universal End Cap	Mill	26 ga	20	
	CECH6	Copper 6" HR Universal End Cap	Mill	26 ga	20	

Rainware & Accessories Aluminum Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND	AL	BUCKSKIN	BU	HARBOR GREY	HG	★■ RUSTIC COPPER	M2	VICTORIAN GREY	VG
ANTIQUE IVORY	ΑI	CAMEO	CA	■ MUSKET BROWN	MB	SANDTONE	ST	WICKER	WI
BEAVER BROWN	BB	CHARCOAL GREY	CG	PEBBLESTONE CL	AY PC	NX SIERRA CLAY	SI	■ 30 WHITE	WH
BLACK	BK	CLASSIC CREAM	CC	PG METALLIC	М3	TERRA BRONZE	TB	80 WHITE	80
■ BRONZE	BZ	■ COPPER PENNY	CP	ROYAL BROWN	RB				

[■] Stocked half-round colors. Balance of colors available with extended lead-time.

^{*}Rustic Copper is a PREMIUM color. NOTE: Rustic Copper (M2) accessories, including miters and end caps, may display paint finish variations due to the metallic painting process, which may affect matching components.



NORANDEX[®] Half Round Products

APOLLO BEACH PLANT



Description	Colors	Pieces/ Box
Aluminum 6" HR Combo Cir/Shk w/Clip Hanger	BZ, MB, WH, 80	Order by the pc.
Aluminum 6" HR Combo Cir/Shk w/Clip Hanger	Mill	Order by the pc.
Aluminum 6" HR Fascia Hanger	BZ, MB, WH	Order by the pc.
Galvanized 6" HR Combo Cir/Shk w/Clip Hanger	Mill	Order by the pc.
Galvalume 6" HR Fascia Hanger	Mill	Order by the pc.
Copper 6" HR Combo Cir/Shk w/Clip Hanger	Copper	Order by the pc.
Copper 6" HR Fascia Hanger	Copper	20
	Aluminum 6" HR Combo Cir/Shk w/Clip Hanger Aluminum 6" HR Combo Cir/Shk w/Clip Hanger Aluminum 6" HR Fascia Hanger Galvanized 6" HR Combo Cir/Shk w/Clip Hanger Galvalume 6" HR Fascia Hanger Copper 6" HR Combo Cir/Shk w/Clip Hanger	Aluminum 6" HR Combo Cir/Shk w/Clip Hanger Aluminum 6" HR Combo Cir/Shk w/Clip Hanger Mill Aluminum 6" HR Fascia Hanger Galvanized 6" HR Combo Cir/Shk w/Clip Hanger Galvalume 6" HR Fascia Hanger Mill Copper 6" HR Combo Cir/Shk w/Clip Hanger Copper

Half Round Hidden Hangers	Part #	Description	Colors	Pieces/ Box	
	AHHHR6ML	Aluminum 6" HR Hook Hanger	Mill	100	
	AHHSHR6ML	Aluminum 6" HR Hidden Clip Hanger w/Screw	Mill	100	
V	SHHHR6ML	Stainless Steel 6" HR Hook Hanger	Mill	100	
	Note: Only for	r reverse bead half round gutters			

Half Round T-Wedge Hangers	Part #	Description	Colors	Nominal Thickness	Pieces/ Bag
822	ATWHR49ML	Aluminum HR T-Wedge 4900	Mill	0.070	50



A T-Wedge can be adjusted to keep the gutter level at various fascia board angles.


Rainware Aluminum Colors:

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
BRONZE	BZ	MUSKET BROWN	MB	WHITE	WH	80 WHITE	80

NORANDEX Gutter Protection

APOLLO BEACH PLANT


Screen Systems	Part # Description	Color	Nominal	Piece	Pieces/	Feet/	
Screen Systems	rait #	Description	Color	Thickness	Length	Box	Box



NEW NX Premium Stainless Steel Micro Mesh

The ultimate in gutter protection! This tightly woven, heavy gauge stainless steel micro mesh gutter guard, with its corrosion-resistant properties, is a significant debris deterent. It installs easily under the shingles and fastens to the front gutter hem with provided screws, while self-adjusting to various roof pitches.

ALGP5SPML	Aluminum 5" Premium SS Micro Mesh	Mill	14 ga	4′	25	100′
ALGP6SPML	Aluminum 6" Premium SS Micro Mesh	Mill	14 ga	4′	25	100′



NX Drop-In

The front attachment provides a firm hold to the front of the gutter and has a wide mounting flange for a permanent install. The mill finish aluminum screen is micro crimped for enhanced durability.

ALGP5DIML	Aluminum 5" Drop-In	Mill	0.025	4′	50	200′
ALGP6DIML	Aluminum 6" Drop-In	Mill	0.025	4′	50	200′



NX Lock Small Hole

The small hole screen system installs quickly without disturbing the shingles with its front and back snap lock system.

GGP5LSHBK	Galvanized 5" Lock Small Hole	BK	28 ga	4′	25	100′
GGP6LSHBK	Galvanized 6" Lock Small Hole	BK	28 ga	4′	25	100′
GGP7LSHBK	Galvanized 7" Lock Small Hole	ВК	28 ga	4′	25	100′



NX Lock Regular Hole

The regular hole screen system installs quickly without disturbing the shingles with its front and back snap lock system.

	•					
GGP5LRHBK	Galvanized 5" Lock Regular Hole	BK	28 ga	4′	25	100′
GGP6LRHBK	Galvanized 6" Lock Regular Hole	BK	28 ga	4′	25	100′



NX Step Down

The small hole screen incorporates a raised snap-in system in the back of the gutter to seal off the void between the shingles and the screen. Step Down installs quickly without the use of screws or disturbing the shingles.

GGP5SDBK	Galvanized 5" Step Down	BK	28 ga	4′	25	100′
GGP6SDBK	Galvanized 6" Step Down	BK	28 ga	4′	25	100′



NX Premium Lock

The tiny holes keeps out small debris, while allowing water to flow through the screen. Two stiffening beads run down the center of the screen for added strength. Installation is quick and easy without disturbing the shingles. The screen locks into place with a raised back and front-tiered mounting system.

ALGP5PLBK	Aluminum 5" Premium Lock (screen tiny holes)	BK	0.032	4′	25	100′
ALGP6PLBK	Aluminum 6" Premium Lock (screen tiny holes)	BK	0.032	4′	25	100′



NX Deluxe Half Round

Spring tension design holds this gutter screen in place. Snaps in and out of half round gutters for easy cleaning. 28 gauge steel stands tough under a full load of wet leaves without collapsing. Installs with a slope toward the front to help debris slide off.

GEOLEGIA GUIVAINEGA GIS BEIGAG HAN NOGING BIC 20 94 1 25 100	GLGEZ6DH	Galvanized 6.5" Deluxe Half Round	BK	28 ga	4′	25	100′
--	----------	-----------------------------------	----	-------	----	----	------

Gutter Screen System Color:

COLOR	CODE	COLOR	CODE
BLACK	BK	MILL	ML



NORANDEX[®] Gutter Protection

APOLLO BEACH PLANT

Perforated & Dome Part # Description Colors Nominal Piece Pieces/ Feet Thickness Length Box Box













NX Smooth Flow

The perforated cover installs easily without disturbing the shingles. Product is factory notched for easy overlapping. Dual center ribbed bends provide extra rigidity against expansion and contraction. Six 50-count bags of #6 hex head 3/8 stainless steel painted screws are included.

ALGP5SF	5" Smooth Flow	BK, WH	0.019	6′	40	240′
ALGP5SFML	5" Smooth Flow	Mill	0.019	6′	40	240′
ALGP510SF -	5" Smooth Flow	B, W	0.019	10′	25	250′
ALGP510SFM	5" Smooth Flow	Mill	0.019	10′	25	250′
ALGP6SF	6" Smooth Flow	BK, WH	0.019	6′	40	240′
ALGP6SFML	6" Smooth Flow	Mill	0.019	6′	40	240′
ALGP610SF	6" Smooth Flow	B, W	0.019	10′	25	250′
ALGP610SFM	6" Smooth Flow	Mill	0.019	10'	25	250′

NX Master Flow

The snap in perforated panels are installed without disturbing the shingles and without the use of screws. The patented curved back portion keeps the contoured front mounting system in place, provides a gentle transition of rainwater on to the panel, blocks debris from depositing in the back of the gutter, and is not obstructed by screw hangers.

ALGP5MFBK	Aluminum 5" Master Flow	BK	0.019	4′	25	100′
ALGP6MFBK	Aluminum 6" Master Flow	BK	0.019	4′	25	100′

NX Snap-In Dome Cover

This unique solid dome cover is designed for maximum debris load and is one of the easiest dome cover systems to install. The dome cover snaps in without the use of brackets or screws and doesn't disturb the shingles. Snap-In Dome is available in several colors to enhance the curb appeal of your home by blending in with the roof line.

ALGP5SD Aluminum 5" Snap-In Dome	BK, RB, TB, WH	0.028	4′	14	56′
ALGP6SD Aluminum 6" Snap-In Dome	BK, RB, TB, WH	0.028	4′	14	56′

NX Inside Miter Kit

A5SDIMK Alum. 5" 1 Rt Panel, 1 Lft Panel & 4' Rain Diverter BK, RB, TB, WH	0.027	4′	1 pair/box	
A6SDIMK Alum. 6" 1 Rt Panel, 1 Lft Panel & 4' Rain Diverter BK, RB, TB, WH	0.027	4′	1 pair/box	

NX Outside Miter Kit

A5SDOMK Aluminum 5" 1 Right Panel & 1 Left Panel	BK, RB, TB, WH	0.027	4′	1 pair/box
A6SDOMK Aluminum 6" 1 Right Panel & 1 Left Panel	BK, RB, TB, WH	0.027	4′	1 pair/box

NX Universal End Caps

A5SDUEC Aluminum 5" Universal End Caps	BK, RB, TB, WH	0.019	10/Bag
A6SDUEC Aluminum 6" Universal End Caps	BK. RB. TB. WH	0.019	10/Bag

NOTE: All products and colors may not be available in specific supply centers. Contact your Territory Manager for local availability.

Gutter Protection Colors:

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
BLACK	BK	ROYAL BROWN	RB	TERRA BRONZE	ТВ	WHITE		MILL	ML



Gutter Protection

APOLLO BEACH PLANT

Gutter Protection	Part #	Description	Colors	Nominal Thickness	Piece Length	Pieces/ Box
	Gutter P	Protection		mekness	zengen	Бох
	ALGLFH55	Aluminum 5"/6" Perforated High-Flow Gutter Cover with Screws 4'	AL, BK, CC, CL, DB, EG, IV, MB, PL, RB, S1, TB, TX, WH	0.024	4′	25
	ALGLFS5	Aluminum 5"/6" Standard Solid Gutter Cover with Screws 4'	AL, BK, CC, CL, DB, EG, IV, MB, PL, RB, S1, TB, TX, WH	0.024	4′	25
	ALGRX5	Aluminum 5" Drop-In Cover 6'	DB, WH	0.019	6′	50
	ALGRX6	Aluminum 6" Drop-In Cover 6'	DB, WH	0.019	6′	50
	ALGRX7	Aluminum 7" Drop-In Cover 6'	DB, WH	0.019	6′	50
	ALGP5CS	Aluminum 5" Clean Sweep 7-1/2'	BK, WH	0.019	7-1/2′	40
	ALGP6CS	Aluminum 6" Clean Sweep 7-1/2'	BK. WH	0.019	7-1/2′	40



ALGLFH55 Perforated High-Flow



ALGLFS5 Solid




ALGRX5 Drop-In



ALGP5CSWH Clean Sweep

Gutter Protection Accessories

ALGLFM5	Miters (set - 1 Left & 1 Right)	AL, BK, CC, CL, DB, EG, IV, MB, PL, RB, S1, TB, TX, WH	0.024		10
ALGLFE5R	End Caps (Right)	AL, BK, CC, CL, DB, EG, IV, MB, PL, RB, S1, TB, TX, WH	0.024	5″	25
ALGLFE5L	End Caps (Left)	AL, BK, CC, CL, DB, EG, IV, MB, PL, RB, S1, TB, TX, WH	0.024	5″	25



ALGLFM5 Miters



ALGLFE5 R/L End Caps

Gutter Protection Colors:

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND BLACK CLASSIC CREAM	AL BK CC	CLAY DARK BRONZE EVERGREEN	CL DB EG	IVORY MUSKET BROWN PEARL GRAY	IV MB PL	ROYAL BROWN SAND TERRA BRONZE	RB S1 TB	TUXEDO GRAY 30 WHITE	TX WH

Trim Coil Offering

APOLLO BEACH PLANT

Trim Coil	Description (Nominal Thickness)	Piece Length	Pieces/ Box	Boxes/ Pallet	Pieces/ Pallet	Rolls/ Truck	
	.019 Aluminum Trim Coil	50′	1	48	48	1248	

Unless otherwise stated, all Smooth and Wood Grain trim coil is white (W1) on the opposite side.

NORANDEX™	Smooth ATCS24	Woodgrain ATCW24T	PVC ATCP24	Rainware Comparable
Acadia Green	G19	G19	N/A	N/A
Almond	D49	D49	D49	AD
Beaver Brown	B5	B5	N/A	BB
Beige	D52	D52	D52	N/A
Bronze	B13	B13	B13	N/A
Cactus	G16	G16	G16	N/A
Carbon	A29	A29	A29	N/A
Champagne	D53	D53	D53	CH
Cobblestone Clay	D56	D56	D56	N/A
Cream	D22	D22	D22	CC
Deep Water	L10	L10	L10	N/A
Dove Gray	A26	A26	A26	N/A
Dune	D54	D54	D54	CD
Fern	A24	A24	A24	N/A
Firebrick	R6	R6	R6	N/A
Geneva Blue	L9	L9	L9	N/A
Granite	A19	A19	A19	GG
Graphite	A25	A25	N/A	N/A
Ivy Green	G13	G13	G13	N/A
Jamestown Blue	L2	L2	L2	N/A
Khaki	D59	D59	N/A	N/A
Linen	W10	W10	W10	LN
Maverick Brown	B20	B20	B20	N/A
Mocha	D58	D58	D58	N/A
Musket Brown	B1	B1	B1	MB
Myrtle	G17	G17	G17	N/A
Norwegian Wood	D26	D26	N/A	NW
Olive	G14	G14	G14	N/A
Royal Brown	B6	В6	В6	RB
Russet	B18	B18	B18	RT
Rustic Cedar	D65	D65	N/A	N/A
Sand	D51	D51	D51	SD
Sand Stone	D46	D46	D46	SS
Seaport	A22	A22	A22	N/A
Sierra	D47	D47	D47	SI
Silver	A3	A3	A3	SG
Smoke	A21	A21	A21	N/A
Steel Blue	L8	L8	L8	N/A
Tan	D48	D48	D48	TN
Tumbleweed Tan	D55	D55	D55	N/A
Vintage Grey	A9	A9	A9	N/A
Wedgewood Blue	L7	L7	L7	N/A
Wheat	D50	D50	D50	N/A
White	W1	W1	W1	WH
Yellow	Y4	Y4	N/A	N/A

TEXTURED	Textured ATCT24	NOTE: Textured Trim Coil is painted white on reverse side.
Clay	D39	
Tan	D38	
White	W4	

MASTIC	Smooth ATCS24	Woodgrain ATCW24T	PVC ATCP24	Rainware Comparable
Almond	D14	D14	D14	AL
Black	A17	A17	N/A	BK
Brookstone	D21	D21	N/A	BS
Cameo	W2	W2	W2	CA
Charcoal Grey	A8	A8	N/A	CG
Classic Cream	D22	D22	D22	CC
Dark Bronze	B13	B13	B13	N/A
Deep Granite	A9	A9	N/A	N/A
Desert Sand	D34	D34	D34	DS
English Wedgewood	A11	A11	N/A	N/A
Everest	A15	A15	N/A	EV
Evergreen	G6	G6	G6	EG
Harbor Grey	A2	A2	A2	HG
Lakeshore Fern	G2	G2	N/A	N/A
Linen	D4	D4	D4	LI
London Brown	B5	B5	N/A	BB
Montana Suede	D44	D44	D44	MS
Musket Brown	B1	B1	B1	MB
Natural State	A23	A23	N/A	N/A
Newport Bay	L2	L2	L2	N/A
Pebblestone Clay	D5	D5	D5	PC
Portsmouth Blue	L6	L6	N/A	N/A
Redwood	R3	R3	N/A	RW
Royal Brown	B6	B6	В6	RB
Rugged Canyon	В9	В9	N/A	N/A
Russet Red	R4	R4	N/A	N/A
Sandtone	D6	D6	D6	ST
Silver Grey	A3	A3	A3	SG
Terra Bronze	B12	B12	B12	TB
Victorian Grey	A5	A5	A5	VG
Vintage Brick	R1	R1	R1	N/A
White	W1	W1	W1	WH
Wicker	D8	D8	D8	WI
Woodland Retreat	A29	A29	A29	N/A

SPECIALTY COILS	Smooth Part #	Wood Grain Part #	Description	Piece Length	Nominal Thickness	Rolls/ Pallet
Antique Ivory	ATCS24D42	ATCW24TD42	Alum. 24"	50'	0.019	48
Black/Royal Brown	ATCS14B14	ATCW14TB14	Alum. 14"	50'	0.019	48
Black/Royal Brown	ATCS24B14	ATCW24TB14	Alum. 24"	50'	0.019	48
Black/Royal Brown	ATCS224B14	ATCW224TB14	Alum. 24"	50'	0.024	32
Hickory Brown	ATCS24TB16	ATCW24TB16	Alum. 24"	50'	0.019	48
Musket Brown	ATCS224B1	ATCW224TB1	Alum. 24"	50'	0.024	32
Mastic White	ATCS14W1	ATCW14TW1	Alum. 14"	50'	0.019	48
Mastic White	ATCS224W1	ATCW224TW1	Alum. 24"	50'	0.024	32
Mastic White	ATCS415W1	ATCW415TW1	Alum. 24"	150'	0.019	18

PROUDLY FINISHED WITH **SHERWIN - WILLIAMS.**Coil Coatings

Trim Coil Offering

APOLLO BEACH PLANT

Trim Coil	Description (Nominal Thickness)	Piece Length	Pieces/ Box	Boxes/ Pallet	Pieces/ Pallet	Rolls/ Truck	
	.019 Aluminum Trim Coil	50′	1	48	48	1248	

Unless otherwise stated, all Smooth and Wood Grain trim coil is white (W1) on the opposite side.

CERTAINTEED	Smooth ATCS24	Woodgrain ATCW24T	PVC ATCP24	Rainware Comparable
Buckskin	D23	D23	N/A	N/A
Charcoal Grey	A9	A9	N/A	N/A
Cypress	G1	G1	G1	N/A
Desert Tan	D13	D13	D13	N/A
Flagstone	A12	A12	N/A	N/A
Granite Gray	A2	A2	A2	N/A
Heritage Cream	Y1	Y1	Y1	N/A
Light Maple	D12	D12	D12	N/A
Natural Clay	D47	D47	D47	SI
Oxford Blue	L1	L1	N/A	N/A
Sable Brown	B20	B20	B20	N/A

EXTERIOR PORTFOLIO	Smooth ATCS24	Woodgrain ATCW24	PVC ATCP24	Rainware Comparable
Aspen White	W1	W1	W1	WH
Bone	D37	D37	D37	N/A
Clay	D47	D47	D47	SI
Country Beige	D46	D46	D46	N/A
Cypress	G1	G1	G1	N/A
Driftwood	A28	A28	A28	N/A
Espresso	B12	B12	B12	N/A
Greystone	A2	A2	A2	HG
Honey Oak	D23	D23	N/A	N/A
lvory	D10	D10	D10	N/A
Lighthouse Red	R1	R1	R1	N/A
Metropolitan Gray	A9	A9	N/A	N/A
Mocha	D7	D7	D7	N/A
Oceanside	A22	A22	A22	N/A
Olive	G2	G2	N/A	N/A
Pearl	W2	W2	W2	CA
Peppercorn	C14	C14	N/A	N/A
Regatta Blue	L2	L2	L2	N/A
Rye	D21	D21	D21	BS
Saddle	D6	D6	D6	ST
Slate	L10	L10	L10	N/A
Spruce	G17	G17	G17	N/A
Wheat	Y1	Y1	Y1	N/A
Wicker	D8	D8	D8	WI

VARIFORM	Smooth ATCS24	Woodgrain ATCW24T	PVC ATCP24	Rainware Comparable
Autumn Beige	D31	D31	N/A	N/A
Briarwood	B9	B9	N/A	N/A
Classic Cream	D22	D22	D22	CC
Delray Sand	Y1	Y1	Y1	N/A
Flint	A7	A7	N/A	N/A
Georgian Gray	A4	A4	A4	N/A
Irish Thistle	A1	A1	A1	N/A
Island Pearl	W2	W2	W2	CA
Mediterranean Palm	G2	G2	N/A	N/A
Natural Almond	D13	D13	D13	N/A
Santone	D6	D6	D6	ST
Sandy Tan	D33	D33	D33	N/A
Silver Mist	D37	D37	D37	N/A
Stone Mountain Clay	D47	D47	D47	SI
Wedgewood	A11	A11	N/A	N/A

ROYAL	Smooth ATCS24	Woodgrain ATCW24T	PVC ATCP24	Rainware Comparable
Beige	D10	D10	D10	N/A
Clay	D21	D21	D21	BS
Cypress	G1	G1	G1	N/A
Driftwood	D37	D37	N/A	N/A
Flagstone	A1	A1	A1	N/A
Granite	A25	A25	N/A	N/A
Harvard Slate	A2	A2	A2	HG
Heather	G8	G8	G8	N/A
Linen	D4	D4	D4	LI
Midnight Surf	L10	L10	L10	N/A
Musket Brown	B1	B1	B1	MB
Pebble Clay/Brownston	e D5	D5	D5	PC
Rockslide	A9	A9	N/A	N/A
Sand	D7	D7	D7	N/A
Soft Maple	D12	D12	D12	N/A
Sterling	А3	A3	А3	SG
Storm	A22	A22	A22	N/A
Urban Bronze	C14	C14	N/A	N/A
Vintage Cream	D30	D30	D30	N/A
Wicker	D8	D8	D8	WI

JAMES HARDIE	Smooth ATCS24	Woodgrain ATCW24T	PVC ATCP24
Aged Pewter / Deep Ocean	C12	C12	N/A
Arctic White / Woodstock Brown	C2	C2	N/A
Chestnut Brown / Evening Blue	C8	C8	N/A
Cobblestone / Autumn Tan	C6	C6	N/A
Heathered Moss / Boothbay Blue	C9	C9	N/A
Iron Gray / Countrylane Red	C7	C7	N/A
Khaki Brown / Sail Cloth	C1	C1	N/A
Monterey Taupe / Sandstone Beige	C11	C11	N/A
Mountain Sage / Light Mist	C10	C10	N/A
Navajo Beige / Timber Bark	C5	C5	N/A
Night Gray / Pearl Gray	C13	C13	N/A
Rich Espresso / Gray Slate	C14	C14	N/A
Sandstone Beige	N/A	N/A	D15

PELLA® Window	Smooth ATCS24	Woodgrain ATCW24T	PVC ATCP24	
Almond	D62	D62	D62	
Black	A27	A27	A27	
Brick Red	R7	R7	R7	
Brown	B22	B22	B22	
Hartford Green	G18	G18	G18	
Morning Sky	A28	A28	A28	
Poplar White	D61	D61	D61	
Portobello	B23	B23	B23	
Putty	D63	D63	D63	
Tan	D64	D64	D64	
White	W6	W6	W6	

PROUDLY FINISHED WITH **SHERWIN-WILLIAMS**.

Trim Coil Offering

APOLLO BEACH PLANT


Trim Coil	Description (Nominal Thickness)	Piece Length	Pieces/ Box	Boxes/ Pallet	Pieces/ Pallet	Rolls/ Truck	
	.019 Aluminum Trim Coil	50′	1	48	48	1248	

Unless otherwise stated, all Smooth and Wood Grain trim coil is white (W1) on the opposite side.


ALLURA COLORMAX	Smooth ATCS24	Woodgrain ATCW24T	PVC ATCP24	Rainware Comparable
Ashen	C6	C6	N/A	N/A
Autumn Red	R6	R6	R6	N/A
Bark	C14	C14	C14	N/A
Cool Charcoal	C12	C12	N/A	N/A
Desert Tan	D13	D13	D13	N/A
Flagstone	A22	A22	A22	N/A
Granite Gray	A13	A13	A13	N/A
Linen	D7	D7	D7	N/A
Natural Clay	D26	D26	N/A	N/A
Pacific Blue	L8	L8	L8	N/A
Rock Cliffs	C6	C6	N/A	N/A
Sable Brown	B20	B20	B20	N/A
Savannah Wicker	D8	D8	D8	N/A
Snow	W1	W1	W1	WH
Sterling Gray	A28	A28	A28	N/A
Taupe	D47	D47	D47	SI

PROUDLY FINISHED WITH **SHERWIN - WILLIAMS.**Coil Coatings





♦TCG - TAMPA CHARCOAL GREY - "U" Use up until gone



Fascia Colors:


COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	D49	BLACK	BK			MUSKET BROWN	MB	ROYAL BROWN	RB
ALMOND	AL	BRONZE	BZ	NX LINEN	W10	NX SAND STONE	D46		
ANTIQUE IVORY	ΑI	TAMPA CHARCO	AL GREY TCG	WHITE	WH	NX SIERRA CLAY	D47		



Nominal 12" Hidden Vent Soffit Pieces/ Part # Description Colors Thickness Box BK, WH AST12HVWH Aluminum 12" Hidden Vent Soffit 0.019 16 384

NOTE: Requires 1/2" J- or F-Channel for installation. Does not have Miami Dade approval.


Hidden Vent NFA 10.3 sq. in. / sq. ft.



12" Double 6 - D6 Soffit	Part #	Description	Colors	Nominal Thickness		Pieces/ Box	Boxes/ Pallet	Pieces/ Pallet
	ASTD6S	Aluminum Solid D6 Soffit	(Listed Below)	0.019	12′	16	24	384
	ASTD6V	Aluminum Full Vent D6 Soffit	(Listed Below)	0.019	12′	16	24	384

NOTE: Requires 1/2" accessory channels. Does not have Miami Dade approval.

D6 Soffit NFA 10.37 sq. in. / sq. ft.



D-6 Soffit Colors:


COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
PEBBLESTONE CLAY NX SAND STONE	PC D46	NX SIERRA CLAY	D47	TERRA BRONZE	ТВ	WHITE	WH	WICKER	WI

12" U-Style Soffit (also known as Triple 4)	Part #	Description	Colors	Nominal Thickness	Piece Length		Boxes/ Pallet	Pieces/ Pallet
	★ AST12S	Aluminum 12" Solid Soffit	(Listed Below)	0.019	12′	20	15	300
	*AST12CV	Aluminum 12" Center Vent Soffit	(Listed Below)	0.019	12′	20	15	300
	*AST12FV	Aluminum 12" Full Vent Soffit	(Listed Below)	0.019	12′	20	15	300

NOTE: Requires 3/8" accessory channels.

*Complies with Florida Product Approval, #FL-12019-R7

** ILL-ES AC 132 Calculation (Refer to website for NFA details acm-metals.com/Resources/Specification Sheets/Soffit NFA Data)



U-Style Soffit Colors:

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
NX ALMOND	D49	BLACK	BK	NX LINEN	W10	ROYAL BROWN	RB	NX SIERRA CLAY	D47
ALMOND	AL	BRONZE	BZ	PEBBLESTONE C	LAY PC	NX SAND STONE	D46	WHITE	WH





12" V-Style Soffit (also known as Triple 4)	Part #	Description	Colors	Nominal Thickness	Piece Length	Pieces/ Box	Boxes/ Pallet	Pieces/ Pallet
	12" V-S	tyle Soffit						
	*ASTN12S	Alum. 12" T/4 NASA Solid Soffit	(Listed Below)	0.012	12′	20	27	540
	*ASTN12C	Alum. 12" T/4 NASA Center Vent Soffit	(Listed Below)	0.012	12′	20	27	540
	*ASTN12F	Alum. 12" T/4 NASA Full Vent Soffit	(Listed Below)	0.012	12′	20	27	540
	A							


 \d TCG - TAMPA CHARCOAL GREY - "U" Use up until gone

*Complies with Florida Product Approval, #FL-12019-R7

** ILL-ES AC 132 Calculation (Refer to website for NFA details acm-metals.com/Resources/Specification Sheets/Soffit NFA Data)







(also known as Q	Quad 4)


16" V-Style Soffit


Part #	Description	Colors	Nominal Thickness		Pieces/ Box		Pieces/ Pallet
16" V-St	yle Soffit						
*ASTN16S A	lum. 16" Q/4 NASA Solid Soffit	(Listed Below)	0.012	12'	20	20	400
*ASTN16F A	lum. 16" Q/4 NASA Full Vent Soffit	(Listed Below)	0.012	12'	20	20	400
♦TCG - TAMPA C	CHARCOAL GREY - "U" Use up until gone	•					

*Complies with Florida Product Approval, #FL-12019-R7

** ILL-ES AC 132 Calculation (Refer to website for NFA details acm-metals.com/Resources/Specification Sheets/Soffit NFA Data)

NOTE: Requires 3/8" accessory channels.






12" & 16" V-Style Soffit Colors:


COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND	AL	TAMPA CHARCO	AL GREY TCG	WHITE	WH
ANTIQUE IVORY	ΑI	MUSKET BROV	WN MB	ROYAL BROWN	RB
BRONZE	BZ			BLACK	BK




NORANDEX[®] Siding Accessories

APOLLO BEACH PLANT












Part #	Description	Colors	Nominal Thickness	Piece Length	Pieces/ Box	Boxes/ Pallet	Pieces/ Pallet
AJ38	Aluminum 3/8" J-Channel	AL, BK, BZ, PC, RB, WH	0.019	12′	25	12	300
AWJ38	Alum. 3/8" J-Channel (Wide Face)	AI, AL, BK, BZ, CG, MB, RB, WH	0.019	12′	50	12	600
AJ12	Aluminum 1/2" J-Channel	BK, PC, TB, WI	0.019	12′	25	12	600
AJ12T	Aluminum 1/2" J-Channel	AL, MB, WH	0.019	12′	50	12	600
AJ58	Aluminum 5/8" J-Channel	CA, PC, MB, WH	0.019	12′	50	12	600








AJ12BK, AJ12PC,



AJ12TAL, AJ12TCA,




F- & J-Channel Colors:

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND ANTIQUE IVORY BLACK	AL AI BK	CAMEO CHARCOAL GREY	CA CG	MUSKET BROWN PEBBLESTONE CLAY	MB PC	ROYAL BROWN TERRA BRONZE WHITE	RB TB WH	WHITE WICKER	WH WI

Starter Strip AS AS GS GS


Part #	Description	Colors	Thickness	Length	Box	Pallet	Pallet
ASS25ML	Aluminum 2-1/2" Starter Strip	Mill	0.019	10′	50	24	1200
ASS35ML	Aluminum 3-1/2" Starter Strip	Mill	0.019	10′	25	24	600
GSS25ML	Galvanized 2-1/2" Starter Strip	Mill	28 ga	10′	50	24	1200
GSS35ML	Galvanized 3-1/2" Starter Strip	Mill	28 ga	10′	25	24	600






NORANDEX[®] Siding Accessories

APOLLO BEACH PLANT









Drip Cap 90º

Part No.	"A"	"B"
ADC078	7/8"	1-5/8"
ADC100	1"	1-9/16"
ADC150	1-1/2"	1-1/16"



Drip Cap 95º

Part No.	"A"	"B"
ADC150	1-1/2"	1-1/16"



ALUMINUM Fascia & Soffit Accessories Colors:

COLOR	CODE	COLOR	CODE
ROYAL BROWN	RB	WHITE	WH



ALUMINUM RAINWARE, SIDING ACCESSORIES, SOFFIT, FASCIA & TRIM COIL



Buy Norandex™ products with confidence knowing that:

- Norandex[™] aluminum products carry a limited lifetime warranty.
- Transferrable at no charge.
- Material and Labor is covered.
- Doesn't require registration.

Norandex $^{\text{\tiny{TM}}}$ manufactures Aluminum Soffit, Aluminum Siding & Soffit Accessories, Aluminum Trim Coil, Aluminum Fascia (the "Products"), Aluminum Gutter Coil, and Rainware Accessories in accordance with high standards and tight quality controls. The Products will not rust, burn or support combustion, or split or crack due to cold weather because they are made of aluminum.

WHAT DOES THIS WARRANTY COVER?

Norandex[™] warrants to you, the owner of the property at the time the Products were installed, that the Products are free from defects in material and workmanship in the course of manufacture, and that the finish on the Products will not chip, peel, flake or blister under conditions of ordinary wear, if installed according to local building codes and industry specifications. This Warranty is limited to the terms and conditions, exclusions and limitations, requirements and legal rights stated in this

HOW LONG DOES THE COVERAGE LAST?

If you are an individual, this Limited Lifetime Warranty lasts for the life of the property on which the Products were originally applied ("Property") for as long as you own the Property. If you are not an individual (e.g., you are a corporation, condominium, cooperative housing arrangement, unincorporated association, school, church, government or public entity, etc.), the warranty period will be 50 years from the date of original installation of the Products on the Property, prorated as outlined in the Warranty Coverage Schedule contained within. This Limited Lifetime Warranty may be transferred with the Property. However, upon the transfer, the warranty period will be no more than 50 years from the date of original installation of the Products on the Property, prorated in accordance with the Warranty Coverage Schedule contained within.

WHAT WILL WE DO?

You must notify us in accordance with the notice requirements outlined below, and we must validate the complaint. In the event the manufacturer is denied access for an inspection, this warranty is null and void. Upon the notification and validation, we will undertake the following:

We will repair, replace or refund the purchase and installation price of the defective portion of our product that blisters, checks, crazes, flakes, peels or weathers unevenly due to a defect in our manufacturing process. Our obligations under this warranty will in no event exceed the purchase price of the originally installed Products found to be warrantable and the cost of the labor involved in the original installation of such defective Products. Any additional costs and expenses beyond these amounts are your responsibility. Norandex $^{\mathsf{M}}$ will not pay or be responsible for any costs associated with or related to anything else affixed to the material or building's roof, including but not limited to solar panels, television antennas, moisture sensors, etc.

In the event of repair, replacement or refinishing under this Warranty, the Warranty applicable to the replacement material or to the repaired or refinished Products will extend only for the time remaining under the original Warranty.

If we elect to repair or replace Product under this warranty, we will also cover the reasonable labor costs for the applicable area, as determined by us.

WHAT DOESN'T THIS WARRANTY COVER?

This Warranty does not cover damage of any kind resulting from:

- buckling or rippling of gutters and fascia;
- product that is stored in situations where standing water is covering the surface for prolonged period of time;
- faulty or improper contractor fabrication or installation, including "oil canning" waving, buckling, or other distortions;
- installation of our Product in direct contact with dissimilar materials as discussed in the final section of this warranty;
 • cracking or crazing of the Product's paint surface due to field forming of
- Products in cold temperatures; or
- changes in surface color resulting from chalking, fading, soiling or staining. Exposure to the elements may cause these changes over time; the degree to which weathering occurs will vary depending on air quality,

the building's location and other local conditions over which we have no control:

- · accidental damage; settlement; fire;
- · structural shrinkage or distortion of the property structure;
- tree sap deposits may remove the polyester finish and consequently cannot be warranted under our paint finish warranty;
- · lightning, hurricane, tornado, windstorm, earthquake, volcanoes, hail, or other acts of God;
- harmful chemicals (including harmful cleaning compounds and pesticides);
- fumes, volcanic smog, or vapors; Warranty does not cover material within 30 miles of volcano.
- surface deterioration due to air pollution or seacoast environment (no coverage if product installation is within 1500 feet of seacoast);
- misuse or abuse:
- vandalism:
- airborne stains, mold and mildew accumulation;
- tiger striping or atmospheric dirt accumulation is a naturally occurring phenomenon that is not covered under the finish warranty;
- your failure (or the failure of subsequent Property owners) to provide reasonable and necessary maintenance of the Products (see "Care and Maintenance Instructions");
- impact of foreign objects;
- warping or distortion due to exposure to excessive heat sources (e.g., barbecue grills) or exposure to unusual or excessive reflective heat sources (e.g., window reflection);
 • products that have been painted or whose surface has been altered in
- any way will void the paint finish warranty;
 any other causes beyond our reasonable control; or
- corrosion caused by contact with dissimilar materials, treated lumber, or direct salt spray.

OTHER LIMITATIONS

 This Warranty covers only genuine Norandex[™], Aluminum Soffit, Aluminum Siding & Soffit Accessories, select Aluminum Trim Coil, Aluminum Fascia, and Aluminum Gutter Coil & Rainware Accessories. It is your responsibility to verify that the soffit, fascia, and accessories installed are our Products. For Trim Coil, we require written proof it is Norandex[™] product. Our products are warranted in the continental United States, Hawaii, and Alaska.

2. Products that are designed and intended for rainware and trim applications should not be used as roofing material or metal dome gutter protection.

3. Due to normal weathering, replacement Products may differ in gloss and color from Products originally installed on the Property.

4. We reserve the right to discontinue or change any design or color of any of our products at any time and without notice or liability. If, for any reason, Products of the type originally installed are no longer available from us at the time you make a warranty claim, we may substitute another product determined by us to be of comparable quality and price. 5. There are no warranties on these Products other than as set forth in this Warranty. We are not liable to you for a breach of any other written or oral express warranties, such as those, if any, given to you by dealers, contractors, applicators, or distributors of the Products.

WE EXCLUDE AND ARE NOT RESPONSIBLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES ARISING OUT OF ANY BREACH OF THIS EXPRESSED WARRANTY, OR ANY OTHER ORAL, WRITTEN OR IMPLIED WARRANTY THAT MAY APPLY TO YOUR PURCHASE, AS IT RELATES TO OUR PRODUCTS.

THIS IS YOUR EXCLUSIVE WARRANTY AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

7. This Warranty gives you specific legal rights. You may also have other rights which vary from state to state. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.



STEEL RAINWARE AND ACCESSORIES



Buy Norandex™ products with confidence knowing that:

- Norandex[™] steel rainware products carry a limited lifetime warranty.
- Material and Labor is covered.
- Doesn't require registration.

Norandex™ manufactures Steel Rainware & Accessories including Gutter Coil in accordance with high standards and tight quality controls. The Products will not burn or support combustion, or split or crack due to cold weather because they are made of steel.

WHAT DOES THIS WARRANTY COVER?

Norandex™ warrants to you, the owner of the property at the time the Products were installed, that the Products are free from defects in material and workmanship in the course of manufacture, and that the finish on the Products will not chip, peel, flake or blister under conditions of ordinary wear, if installed according to local building codes and industry specifications. This warranty excludes any areas of the material that are within ¾″ of any edge that has been cut subsequent to the application of the paint to the substrate. This Warranty is limited to the terms and conditions, exclusions and limitations, requirements and legal rights stated in this Warranty.

HOW LONG DOES THE COVERAGE LAST?

If you are an individual, this Limited Lifetime Warranty lasts for the life of the property on which the Products were originally applied ("Property") for as long as you own the Property. If you are not an individual (e.g., you are a corporation, condominium, cooperative housing arrangement, unincorporated association, school, church, government or public entity, etc.), the warranty period will be 50 years from the date of original installation of the Products on the Property, prorated as outlined in the Warranty Coverage Schedule contained within. This Limited Lifetime Warranty is limited to the original owner. Coverage will be 100% for ten years after the installation and prorated after that period. See Warranty Coverage Schedule section for details of prorated coverage.

WHAT WILL WE DO?

You must notify us in accordance with the notice requirements outlined below, and we must validate the complaint. In the event the manufacturer is denied access for an inspection, this warranty is null and void. Upon the notification and validation, we will undertake the following:

We will repair, replace or refund the purchase and installation price of the defective portion of our product that blisters, checks, crazes, flakes, peels or weathers unevenly due to a defect in our manufacturing process. Our obligations under this warranty will in no event exceed the purchase price of the originally installed Products found to be warrantable and the cost of the labor involved in the original installation of such defective Products. Any additional costs and expenses beyond these amounts are your responsibility. Norandex™ will not pay or be responsible for any costs associated with or related to anything else affixed to the material or building's roof, including but not limited to solar panels, or television antennas, moisture sensors, etc.

In the event of repair, replacement or refinishing under this Warranty, the Warranty applicable to the replacement material or to the repaired or refinished Products will extend only for the time remaining under the original Warranty.

If we elect to repair or replace Product under this warranty, we will also cover the reasonable labor costs for the applicable area, as determined by us.

WHAT DOESN'T THIS WARRANTY COVER?

This Warranty does not cover damage of any kind resulting from:

- Product that is stored in situations where standing water is covering the surface for prolonged period of time;
- Faulty or improper installation, including "oil canning" waving, buckling, or other distortions;
- Installation of our Product in direct contact with dissimilar materials as discussed in the final section of this warranty;
- Cracking or crazing of the Product's paint surface due to field forming of Products in cold temperatures; or material that has bends less than 2T for a sheet thickness of 0.0299" and thinner and bends less then 4T for a sheet thickness of 0.0300" and thicker.
- Changes in surface color resulting from chalking, fading, soiling or staining. Exposure to the elements may cause these changes over time;

the degree to which weathering occurs will vary depending on air quality, the building's location and other local conditions over which we have no control;

- · accidental damage; settlement; fire;
- structural shrinkage or distortion of the property structure;
- tree sap deposits may remove the polyester finish and consequently cannot be warranted under our paint finish warranty;
- lightning, hurricane, tornado, windstorm, earthquake, hail, or other acts of God;
- harmful chemicals (including harmful cleaning compounds and pesticides);
- fumes, volcanic smog, or vapors; Warranty for material is not given within 30 miles of volcano.
- \bullet surface deterioration due to air pollution or seacoast environment; (no Warranty if installed product is within 1 mile of seacoast.)
- misuse or abuse;
- vandalism;
- airborne stains, mold and mildew accumulation;
- Tiger striping or atmospheric dirt accumulation is a naturally occurring phenomenon that is not covered under the finish warranty;
- your failure (or the failure of subsequent Property owners) to provide reasonable and necessary maintenance of the Products (see "Care and Maintenance Instructions");
- impact of foreign objects;
- warping or distortion due to exposure to excessive heat sources (e.g., barbecue grills) or exposure to unusual or excessive reflective heat sources (e.g., window reflection);
- Products that have been painted or whose surface has been altered in any way will void the paint finish warranty;
- any other causes beyond our reasonable control; or
- \bullet Corrosion caused by contact with dissimilar materials, treated lumber, or direct salt spray.

OTHER LIMITATIONS

- 1. This Warranty covers only genuine Norandex $^{\text{TM}}$ Steel Rainware and Accessories, including Gutter Coil. It is your responsibility to verify that the rainware and accessories installed are our Products. Our products are warranted in the continental United States, Hawaii, and Alaska.
- 2. Products that are designed and intended for rainware and trim applications should not be used as roofing material or metal dome gutter protection.
- 3. Due to normal weathering, replacement Products may differ in gloss and color from Products originally installed on the Property.
- 4. We reserve the right to discontinue or change any design or color of any of our products at any time and without notice or liability. If, for any reason, Products of the type originally installed are no longer available from us at the time you make a warranty claim, we may substitute another product determined by us to be of comparable quality and price.
- 5. There are no warranties on these Products other than as set forth in this Warranty. We are not liable to you for a breach of any other written or oral express warranties, such as those, if any, given to you by dealers, contractors, applicators, or distributors of the Products.
- 6. WE EXCLUDE AND ARE NOT RESPONSIBLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES ARISING OUT OF ANY BREACH OF THIS EXPRESSED WARRANTY, OR ANY OTHER ORAL, WRITTEN OR IMPLIED WARRANTY THAT MAY APPLY TO YOUR PURCHASE, AS IT RELATES TO OUR PRODUCTS.

THIS IS YOUR EXCLUSIVE WARRANTY AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

7. This Warranty gives you specific legal rights. You may also have other rights which vary from state to state. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

NORANDEX[®]
NOTES:

APOLLO BEACH PLANT



NORANDEX
NOTES:

NOTES:		

NORANDEX NOTES:

APOLLO BEACH PLANT



Norandex™ Trim Coil Colors




* NEWLY ADDED TRIM COIL COLORS

PROUDLY FINISHED WITH

SHERWIN-WILLIAMS.

Coil Coatings





Serving the Southeast Region